# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Spring Planting List of Hardy Perennials

and Rock Plants THE TIMES TO FIT PRICED



OAKFORD, ILLINOIS Located at





#### INTRODUCTION

We want to introduce ourselves to you to tell you something about our nursery, our methods and ideas of doing business.

We have selected Oakford as a location for our nursery on account of the fact that within a short radius there is a great variety of soil compositions and situations. Part of the country was an ancient lake bed. We have a large selection for this reason. We can grow the largest variety of plants possible in the Temperate Zone.

We select the soil best suited to grow large root systems. Most plants are grown in sandy loam, the texture of which is loose enough to give root action plenty of room. With few exceptions, our stock is field grown without artificial watering, insuring hardiness. We deep plow our fields and cultivate, spray and prune our plants with the idea of increasing strength and hardiness of the root systems. Such plants ship best and establish themselves without difficulty.

We dig fresh plants for each order and do not ship out of storage.

Our orders are packed with such care and confidence, we guarantee arrival in good condition. To do this we have studied all packing methods available to us and use our idea of the best. If you receive a shipment in improper condition, let us know at once and we will replace or refund your money.

Our policy is to grow the best varieties and be constantly on the look-out for new and better ones. We always have a lot of new things on trial at the nursery.

Our retail prices to-day are about the same as wholesale four or five years ago. We are passing on our lower cost of production. Prices are made to fit the times.

We have attempted to give you an abridged description of each plant and our version of the best location, soil and culture suited. Your success will be determined by the planning, care and judgment you give the plants. We have seen many fine plants sicken and die because the border was located too near elm and other surface rooting trees which takes most of the moisture and fertility out of the soil.

You are always welcome at Oakford. Oakford is situated in Central Illinois in Menard County about thirty-five miles northwest from Springfield. Oakford is on the Chicago and Illinois Midland Railroad between Petersburg and Havana. In driving, it is best to go to Petersburg and take the Oakford road from there.

We thank you for your past patronage and hope that we may serve for many years to come.

A. J. Hereford, Prop.

Russell Lounsberry, Manager.

HEREFORD'S GARDENS, OAKFORD, ILLINOIS

### LIST OF PLANTS

KEY—(1) Botanical name. (2) Common name. (3) Color of bloom. (4) Time of bloom. (5) Height of plant. (6) Habit of growth. (7) Situation best suited. (8) Soil. (9) Use. (\*) Rock or Alpine plants. Biennials—plants living only two years.

	hree Rate	Ten Rate	100 Rate
lent plants for the rock garden and borders; (7) sun; (8) well drained soil, not too rich.			
*Achillea Ageratum—(3) yellow; (5) 1 ft.; (6) erect; (9) rock			
garden\$ Achillea Filipendula—(3) yellow;	0.50	\$1.25	\$10.00
(4) June to Sept.; (5) 4 to 5 ft; (6) erect; (9) cutting and border Achillea Ptarmica Fl. Pl. "The	.50	1.25	10.00
Pearl"—(3) white; (4) all summer; (5) 30 in.; (6) erect; (9)	ξΛ	1 95	10.00
excellent cutting	.50	1.20	10.00
for rock garden	.60	1.50	12.00
ACONITUM WILSONI—(2) Monkshood; (3) mauve; (4) autumn;			
(5)6 to 7 ft.; (6) tall stalks; (7) shade or semi-shade; (8) good or-			
dinary; (9) shady borders, water-	<b>~</b> 0	1 05	40.00
*AJUGA reptans—(2) Bugle Wort;	.50 .	1.25	10.00
(3) bright blue; (5) 6 in.; (6) compact, stooling; (7) cool, shady; (8) moist loam; (9) rock and grounds cover. Foliage glossy			
dark green	.50	1.25	10.00
*ALYSSUM Rostratum—(3) dense heads of bright gold; (4) June, July; (5) 18 in.; (6) spreading; (7) sun; (8) loam, well drained;			
(9) rock or border* *Alyssum Saxatile—(2) gold dust;	.50	1.25	10.00
(3) yellow; (4) April to June; (5) 8 in.; (6) low spreading; (7) sun;			
(8) loam, well drained; (9) rock or border edging	.50	1.25	10.00
ANTHEMIS tinctora "Kelwayii"— (2) Chamomile; (3) yellow; (4)			
June to Sept.; (5) 2 ft.; (6) bush and spreading; (7) sun; (8) or-			
dinary; (9) border and cutting	.50	1.25	10.00
AQUILEGIA—(2) Columbine; (9) an excellent border plant also used			
for cutting; (6) mostly of compact bush growth with spikes of bloom;			
(7) will grow in sun but prefer			
partial shade; (8) prefer well drained, sandy soil with some hu-			
mus. In planting be sure crowns are not buried, but even with soil			
surface			
and yellow; (4) May to July; (5) 3 ft. Our native Columbine	.50	1.25	10.00
Aquilegia Chrysantha—(3) yellow;	.00	A, ad U	~ 0.00
(4) May to July; (5) 3 ft. This is our most vigorous grower and long			
bloomer	.60	1.75	15.00

PLANT LIST	Three Rate		100 Rate
Aquilegia Hybrid "Dreer's long spur red"—(4) May to July; (5) 30 in. one of our finest strains; (3) can be had in either blue and purple shades or pink and red shades o	; e		
mixed shades	50	1.25	10.00
best strains	50	1.25	10.00
in.; a wonderful new strain o vivid colors	60	1.50	12.00
gardens	50	1.25	10.00
to set off bouquets. Excellent  ASCLEPIAS Tuberosa—(2) Butterfly Weed; (3) brilliant orange; (4 July to Sept.; (5) 2 ft.; (6) bushy with pendulous stems; (7) sun; (8 sandy soil; (9) a most brillian	.50 y ) ,,	1.25	
border plant	l- ; )	1.25	10.00
fragrant		1.50	
rock garden	S- -	1.50	12.00
border plant	e 2	1.25	10.00
<ul> <li>(9) border</li> <li>Seed per packet, 10c</li> <li>Baloon Flowers (See Platycodon).</li> <li>BAPTISIA Australis—(2) False Indigo; (3) blue; (4) June-July; (5</li> </ul>	50	1.25	10.00
3 to 4 ft.; (6) bushy, with bloom in spikes; (7) sun; (8) deep rick soil; (9) excellent border plant Foliage is good	h t.	1.25	10.00
Beli Flowers (See Campanulas).  Bieeding Heart (See Dicentra).  Bloodroot (See Sanguinaria).  BlueBells (See Mertensia).  BOLTONIA Asteroides—(3) pinkish white; (4) Aug. to Oct.; (5) 4 to 6 ft.; (6) tall graceful stems with a summerous feathers, branches are	o h		
numerous feathery branches and foliage; (7) sun; (8) loam; (9) wonderful back border plant	a'	1.25	10.00

	hree Rate		100 Rate
the bell flowers are among the finest border and rock plants; (7) dwarf kinds do best in partial shade, rest in sun; (8) all like rich			
soil			
white; (4) Aug.; (5) 30 in.; (6) spike	.50	1.25	10.00
blue; (9) a very handsome novelty bell flower from the Crimea	70	1.75	15 00
*Campanula Carpatica—(2) Carpathian Hare-bell; (3) both in blue or white; (4) May to Sept.; (5) 1 ft.; (6) compact, bushy; (9) excel-	• • •	T. 10	19,00
*Campanula Glomerata Superba— (3) dark violet; (4) June-July; (5) 20 in.; (6) spreading, with blooming spikes; blooms from bottom of spike to top; (7) partial shade; (9) rock or border. Something		1.25	10.00
new to most gardeners		1.75	12.00
colors, blue pink, white or purple; (4) June-July; (5) 3 ft.; (6) tall spikes covered with large blooms; (9) border. One of the most showy of the border plants	60	1.50	12.00
Campanula Medium Calycanthema Biennial)—(2) cup and saucer Canterbury Bell; (3) in separate colors, blue, pink, white and purple; (4) June-July; (5) 3 ft.; (6) tall spikes covered with blooms; (9) border. The same as C. me-		1,00	***************************************
dium except that in addition the bloom has a saucer shaped petal  Campanula Persecifolia—(2) peach-leaved bell; (3) large blue; (4)		1.50	12.00
June and July; (5) 2 ft.; (6) tall spike; (9) one of the best border varieties		1.50	12.00
Campanula Pyramidalis—(2) Chimney Bell flower; (3) blue; (4) Sept.; (5) 4 ft.; (6) profuse pyramids of bloom; (9) a most conspicuous and excellent border			
*Campanula Rotundifolia—(2) Scotch Harebell; (3) blue; (4) May to Oct.; (5) 8 in.; (6) small rosettes of leaves at base with slender, wiry grass like bloom stems; (9)		1.50	12.00
one of the finest for rock gardens.  Canterbury Bells (See Campanula Medium).		1.50	12.00
Cardinal Flower (See Lobelia Cardinalis).			
carnations—Hardy border. If you have heretofore failed to plant border Carnations, now is the time to start. They bloom continuously in wonderful colors and tints. All are fragrant. (7) They are easy to grow in sunny, well drained locations in (8) rich, gritty or sandy soil			
tions in (o) fich, giftly of sandy son			

PLANT LIST	Three	Ten	100 Rate
Carnation Hardy "Chaubauds"—(3)		Itate	rate
double mixed deep red, scarlet, pink, yellow and white; (4) all			
summer; (5) 1 ft.; (6) rather com-			
pact; (9) a most brilliant bedding		1.05	10.00
or cutting flower		1.25	10.00
(3) double crimson; (4) all sum-			
mer; (5) 1 ft.; (6) rather compact; (9) an excellent crimson bedding			
or cutting plant	.60	1.75	15.00
Carnation, Hardy "Thousandschoen" (3) from salmon-rose through			
bright pink to white; (4) all sum-	•		
mer; (5) 1 ft.; (6) compact; (9) an excellent bedding and cutting			
plant	.60	1.50	12.00
CATANACHE Coerulea — (2) blue			
Cupidine—(3) light blue; (4) June to Aug.; (5) 2 ft.; (6) upright, stiff			
stems; (7) sun; (8) dry ordinary	7	1 20	
soil; (9) border and good cutting CENTAUREA—(2) Hardy Corn		1.50	12.00
Flowers. All are easy to grow in	l		
(7) sunny position in (8) ordinary soil. (9) All are good border and			
cutting plants			
Centaurea dealbata—(3) rosy pur- ple; (4) June to Sept.; (5) 2 ft.;			
(6) compact mound of cut leaved			
grey-green leaves; (9) a hand-		1 95	10.00
some border plant		1.20	10.00
yellow; (4) July; (5) 3 ft.; (6)			- '
large, compact mound of large light green leaves with bloom			
spike; (9) a fine border plant	.50	1.50	12.00
Centaurea Montana—(3) blue; (4) July to Sept.; (5) 2 ft.; (6) Com-			
pact, large dark green leaved			
plants; (9) a fine useful border plant		1.25	10.00
*CERASTUM Tomentosum—(2)			
chick weed; (3) white; (4) May and June; (5) 3 in.; (6) prostrate			
and spreading; (7) sun; (8) sandy	•		
loam; (9) an excellent rock plant. Blooms cover plant		1 95	10.00
CHEIRANTHUS Allioni, (Treat as		1.20	10.00
biennial)—(2) Hardy Wallflower; (3) Fragrant, dazzling firy orange;			
(4) May and June; (5) 1 ft.; (6)			
Compact; (7) sun; (8) not overrich firm soil; (9) border margins			
and old walls. Must be planted in			
position in Fall for best results CHRYSANTHEMUM Maximum		1.25	10.00
"Alaska"—(2) Shasta Daisy; (3)			•
white with yellow center; (4) all			
summer; (5) 3 ft.; (6) a pyramidal bush growth; (7) sun; (8) well			
drained rich loam; (9) excellent	,		
border and cutting. This is one of the best border plants and Alaska			
the best variety		1.25	10.00
Seed per packet, 10c. CHRYSANTHEMUM Uliginosum—			
(2) Grant Daisy; (3) large white,			
yellow center; (4) June to Sept. (5) 3 to 4 ft.; (6) upright stalks;			
(7) sun; (8) ordinary, well drain-			
ed; (9) border	.50	1.25	10.00

PLANT LIST	Rate	Ten Rate	100 Rate
CLEMATIS Davidiana—(2) border	•	a vent G	**ata
clematis; (3) porcelain blue fra			
grant; (4) July to Oct.; (5) 3 ft.; (6) upright bushy; (7) sun; (8)			
well drained loam with lime; (9)			
by clematic		<b>(2)</b>	
by clematis	.75	2.00	15.00
*CONVALLARIA Majalis—(2) Lilly	7		
of the Valley; (3) fragrant, white:			
(4) May and June; (5) 8 in.; (6) spreading; (7) shade; (8) loam			
soil with leaf mould or decayed			
manure and grit; (9) shady ground			
cover and rock gardens COREOPSIS Lanceolata Grandeflora	.50	1.25	10.00
-(3) golden yellow; (4) all sum-			
mer; (5) 3 ft.; (6) bushy; (7)			
sun; (8) sandy loam; (9) an ex-			
cellent cutting plant  Seed per packet, 10c.	.50	1.00	. 8.00
Corn Flower—Hardy, see Centaurea.			
Day Lily—see Hemoricallis.			
DELPHINIUM—(2) Hardy Larkspur,			
probably the most popular flower grown. The new strains are to			
be marveled at; (7) favoring sun:			
(8) good rich deep cultivated loam			
that has been limed. Delphinium must be planted with crowns			
level with soil surface; (9) excel-			
lent for border and cutting			
Delphinium Hybrid "Dreams of			
Beauty"—(3) wonderful irridescent blooms from lightest sky blue			
to deepest gentian blue, some or-			
chid shades, both single and dou-			
ble, some with pink fillings; (4) all summer if not allowed to go to			
seed; (5) 5-6 ft.; (6) upright			
spikes. This is the finest strain			
we have ever seen or known of. Many new beauties revealed every			
day during blooming season. Year			
old plants	.75	2.00	15.00
Delphinium Belladona, Improved			
"Cliveden Beauty"—(3) light blue; (4) all summer; (5) 4-5 ft.; (6)			
upright spikes. This is the finest			
belladona. Year old plants	.50	1.25	10.00
DIANTHUS—(2) hardy pinks. A wonderful family of easy growth			a .
for the border, cutting and rock			
garden; (7) sun; (8) well drained			
medium to light soil well enriched			
*Dianthus Allwoodi—(2) Allwood's pink; (3) all shades, deep red to			
light pink, some double, all fra-		•	
grant; (4) all summer; (5) 15 in.;			
(6) compact plant with light green foliage; (9) rock, cutting or bor-			
der. This new variety of pinks is			
about the finest ever seen. At a			
recent flower show they were the sensation of the show. Something			
wonderful at any price	.60	1.50	12.00
Dianthus Barbatus Biennials "Sut-	.90	*****	acers ∪ ∪
tons Pink Beauty"—(2) Sweet			
William; (3) salmon pink; (4) June-July; (5) 18 in.; (6) upright			
with dense heads of bloom; (9)			
border. This is the best of sweet	pu .	4	4.6 -
williams	.50	1.25	10.00

PLANT LIST	Three Rate	Ten	100 Rate
*Dianthus Deltoides "Brilliant"—(2) maiden pink; (3) brilliant crimson; (4) June; (5) 6 in.; (6) prostrate tufts and creeping; (9) rock			
gardens		1.00	8.00
mixed lilac, red, white; (4) all summer; (5) 12 in.; (6) a very compact round plant; (9) rock or border plant. This is one of our favorites. The hottest of weather			
never bothered it. We have never seen it diseased in any way Seed per packet, 15c.		1.25	10.00
*Dianthus Latifolius Atrococcineus Plena — (2) perpetual flowering sweet william; (3) dark crimson double; (4) all summer; (5) 15 in.; (6) upright. Flowers in panicles; (9) rock and border. If you like crimson shades you have one			
of the best here		1.25	10.00
*Dianthus Plumaris "Highland Queen"—(3) brilliant red center with lighter margins; (4) all summer; (5) 15 in.; (6) upright bushy; (9) rock and border. This is the famous new European in-			
troduction. About the only perpetual blooming Dianthus Plumaris *Dianthus neglectus—(3) deep rose;	.50	1.50	12.00
(5) 6 in.; (6) compact tuft; (9) a gem for the Alpine garden *Dianthus Sundermannii—(3) large white; (5) 6 in.; (9) Alpine gar-	1.00	2.50	
den	1.00	2.50	
bleeding head; (3) reddish pur- ble; (4) May to Sept.; (5) 1 ft.; (6) graceful pendulous with fern- like leaves; (7) part shade or			'
shade; (8) loam with leaf mould; (9) border or rock plant  DIGITALIS Hybrids "Giant Shirley"		1.25	10.00
(2) foxgloves; (3) color range white to deep rose with chocolate markings; (4) June to Aug.; (5) 40 in.; (6) tall spike; (7) sun or			
part shade; (8) loam; (9) borders (Biennial). A showy border plant *DODECATHEON medium—(2) shooting star; (3) lilac and pink; (4) April to June; (5) 1 ft.; (6)		1.50	12.00
rosette of leaves at crow with blooming spike; (7) cool shady; (8) light loamy soil with leaf			
mould; (9) border or rock garden *DRACOCEPHALUM Ruyschianum		1.75	12.00
(2) Dragonhead; (3) white; (4) July-Aug.; (5); 10 in.; (6) tufted with bloom spikes; (7) cool, partially shaded; (8) well drained,		1	
ordinary soil; (9 wonderful for rock gardens or borders	.50		10.00
bane; (3) violet purple; (4) May to Oct.; (5) 30 in.; (6) rather com-			
pact; (7) sun; (8) good ordinary fairly moist; (9) border and cut-		1 PT PT	10.00
ting	.70	1.75	12.00

		•	
	Rate	Ten Rate	
press sparge; (3) yellow; (5) 1 ft.; (6) compact, globose; (7) hot, dry; (8) ordinary or poor; (9) border or rock. This plant is grown for its compact neat habit. Looks like small cypress tree	.50	1.50	
Foxgloves—see Digitalis.			
FUNKIA subcordata—(2) plantain lily; (3) fragrant waxy white; (4) Aug. and Sept.; (5) 20 in.; (6) dark green glossy leaves make a complete mound; (7) best in partial shade; (8) rich moist loam soil; (9) a fine compact plant for specimen or harder.	,	1 57	
specimen or border	.70	1.75	
(2) goats rue; (3) white; (4) July-Sept.; (5) 18 in.; (6) upright; (7) sun; (8) ordinary; (9) border	.50	1.50	12.00
bottle Gentian; (3) lilac; (4) Aug. Sept.; (5) 12 in.; (6) several terminal stems; (7) moist, partly shaded; (8) rich loam; (9) border or naturalizing. Blooms tightly			
closed	.70	1.75	15.00
*GENTIANA cruciata—(2) Gentian; (3) bright blue; (4) June-Aug.; (5) 9 in.; (6) tuft of glossy green leaves with bloom stem; (7) par- tial shade; (8) deep loam with leaf			
mold; (9) rock or border. This is			1
one variety of the famous gentian family that anyone can raise with			
a little care. The gentian is considered the queen of plants		1.75	15.00
GILLARDIA Grandiflora "English Hybrids" — (3) crimson petals tipped with yellow; (4) all summer; (5) 2 to 3 ft.; (6) bushy; (7) sun; (8) loam; (9) excellent cutting and border		1.25	10.00
Seed per packet, 10c.	.00	.a aa 🗸	40.00
*GYPSOPHILA Repens—(2) chalk plant; (3) white; (4) June to Oct.; (5) 6 in.; (6) prostrate and spreading; (7) sun; (8) loam with good drainage favoring lime; (9) excellent rock plant		150	19.00
lent rock plant		1.50	12.00
wort; (3) deep yellow; (4) June to Sept.; (5) 2 ft.; (6) bushy		b-	
branching; (7) sun; (8) ordinary; (9) border and cutting		1.25	10.00
HEMEROCALLIS fulva—(2) tawny day lily; (3) bronze orange; (4)			
June to Aug.; (5) 4 ft.; (6) grassy			
leaves from crown with blooming			4
stem; (7) partial shade; (8) rich			
moist loam; (9) border, waterside or naturalizing		1.00	8.00
Hemerocallis flava—(2) yellow day			
lily; (3) fragrant clear yellow; (4) June and July; (5) 2 ft.; (6);			
coarse grassy leaves from crown			
with bloom spike; (7) partial			
shade; (8) rich moist loam; (9) border, waterside or naturalizing.	.50	1.50	12.00

PLANT LIST	Three Rate		
*HEPATICA triloba—(2) liver leaf (3) white tinted purple; (4) early			
spring; (5) 5 in.; (6) compact (7) woods; (8) loam and leaf moule	•		
(9) for naturalizing. The firs flower to bloom in the spring	t		
The leaves are spotted brown	50	1.25	10.00
HESPERIS matronalis—(2) sweet rocket; (3) fragrant rose or white	•		
(4) May to Aug; (5) 2 ft.; (6) bushy; (7) sun; (8) ordinary; (9)			
border and cutting		1.25	10.00
sweet pea; (3) pink or white; (4 continuously; (5) climber; (6	)		
climber; (7) sun; (8) ordinar;	y	1 50	19.00
rich; (9) fine for cutting *LAVENDULA Vera—(2) Lavender	;	1.50	12.00
(3) lavender; (4) Aug.; (5) 2 ft. (6) compact bush; (7) sun; (8)			
sandy loam; (9) border or rock Much prized for its grey-green			
fragrant leaves	60	1.50	12.00
sas Gay Feather; (3) rich purple;			
(4) midsummer; (5) 4 ft.; (6) upright spikes; (7) sun or shade;			
(8) ordinary garden soil; (9) border Beautiful spikes of rich purple			
flowers	.50	1.25	10.00
Mountain Gayfeather; (3) rosy	•		. •
purple; (4) early summer; (5) 30 in; (6) upright stalk; (7) sun or	•		
part shade; (8) ordinary garden soil; (9) rock garden or border.			
Liatris should not be planted too deep. Top of bulb or crow			
should be even with surface  LINARIA Vulgaris—(2) toad flax	.50	1.50	12.00
(3) yellow with orange; (4) May	у		
to Sept.; (5) 18 in.; (6) compac stooling; (7) well drained in sun	•		
(8) most any soil; (9) ground cover for dry banks, borders, rocl			
gardens		1.25	10.00
(3) yellow; (4) June to Oct:; (5) 3 ft.; (6) bushy; (7) sun; (8)	)		
loam; (9) border and rock		1.25	10.00
Seed per packet, 10c. LINUM — (2) flax; (7) sun; (8)			
sandy or ordinary, light, wel drained; (9) rock gardens and			
border. These plants are profuse bloomers and are most attractive			
Linum flavum—(3) lemon yellow (4) June to Aug.; (5) 1 ft.; (6)	•		
bushy, a wonderful addition	,		
blooms stay on for some days; (9) rock garden or borders		1.75	15.00
*Linum Narbonense—(3) sky blue (4) June to Sept.; (5) 2 ft.; (6)			
spreading; (9) rock gardens. The bloom stays on all day. A fine	9		
plant	.75	1.75	15.00
Linum Perenne—(3) pale blue; (4) May to Sept.; (5) 2 ft.; (6) bushy	,		
(9) border. A new crop of profuse blooms every day		1.25	10.00
Seed per packet, 10c.			

	Three	Ten	100
PLANT LIST  LOBELIA Cardinalis—(2) cardinal flower; (3) scarlet; (4) July to Oct.; (5) 3 ft.; (6) spikes; (7) best in shade; (8) moist loam; (9) waterside planting. Grow in	Rate	Rate	Rate
colonies. Border, cutting  Lobelia Syphilitica—(2) hardy blue lobelia; (3) blue; (4) Aug. to Sept.; (5) 3 ft.; (6) spikes; (7) sun or partial shade; (8) moist loam, peat or muck; (9) border. Best	.50	1.25	10.00
in colonies	.50	1.25	10.00
border and cutting. A mightly fine plant		1.50.	.12.00
nary; (9) border	•	1.25	10.00
*MYOSOTIS Alpestris—"Queen Victoria"; (2) For-get-me-not; (3) azure blue; (4) March to June; (5) 5 in.; (6) spreading; (7) sun, well drained; (8) ordinary; (9)	.50		
*MYOSOTIS Palustris—(2) Forget- me-not; (3) sky blue, yellow eye; (4) June to Oct.; (5) 6 in.; (6) prostrate, creeping; (7) moist shady; (8) moist ordinary; (9) ground cover and rock gardens. This is about the most satisfactory		1.25	10.00
variety *NEPETA Mussini—(3) light mauve; (4) May to Sept.; (5) 1 ft.; (6) mounds of gray green foliage (7) sun; (8) ordinary soil; (9) rock and	.50	1.25	10.00
Painted Daisy (See Pyrethrum).  PENTSTEMON—The Pentstemon family is a large one, native to this country. They are growing in popularity; (9) they can be used for border, cutting and rock gardens; (7) most grow in well drained locations in sun; (8) ordinary soil with some grit or sand  Pentstemon Barbata Praecox—(3) from fuchia purple through red to light pink; (4) June to Sept.; (5) 3 ft.; (6) compact rosette of glossy leaves at crown with several slender bloom spikes; (9) border and cutting. This is a variety that is	.50		
very popular. Mixed colors Seed per packet, 25c.		1.25	10.00

	Three		100
Pentstemon Digitalis—(3) white		Rate	Rate
tinted violet; (4) July; (5) 3 ft.; (6) upright; (9) cutting and bor der, makes a fine unique boquet	-	1.25	10.00
Seed per packet, 10c.  Pentstemon Grandiflorus—(2) shel			
leaf Pentstemon; (3) lavender; (4) July and Aug.; (5) 18 in.; (6) up	-	,	
right spikes; (9) cutting and bor der. Mr. Hamblin of Lexington	1		
Botanical Gardens, Boston, reports out of 100 species on trial this one is best. We quite agree with him	9		
A wonderful bloom	70	1.75	<b>15.0</b> 0
*Pentstemon Humilis—(3) deep blue; (5) 8 in.; (6) rosettes of	Ē .		
dark green foliage with bloom spikes arising, stooling out to make large clumps; (9) rock gar	0		
dens or edging. A wonderful ad dition to the rock garden col			
lection	n	2.00	18.00
Phlox; (6) upright spikes; (7) wel drained sunny position; (8) ricl loam; (9) border and cutting.			
Bridesmaid—(5) 30 in.; (3) white crimson eye.	,		
Fuerbrand—(5) 24 in; (3) bright ver milion with deeper center.		1	
Rhinelander—(5) 24 in.; (3) salmon pink.			:
Thor—(5) 24 in.; (3) blush pink All of above	50	1.50	10.00
(2) a garden variety; (3) white (4) all summer; (5) 30 in.; (6) up	,		
right spike with glossy dark green foliage. Culture same as above	e '		:
phloxes. Probably the best hard; phlox* *Phlox Divaricata Canadensis—(2	50	1.50	10.00
our native blue phlox; (3) fragrant lavender; (4) May and June	-		1
(5) 10 in.; (6) trailing with darl green glossy foliage; (7) shade o	r		
part shade; (8) well drained mois soil; (9) ground cover, cutting and rock	g	.50	4.50
*Phlox Subulata—(4) May; (5) 3 in. (6) prostrate trailing; (7) sun; (8	;	.00	7.00
loam with sand, grit and humus (9) rock plants. Fine. (3) eithe	; r		
pink or white	e	1.50	12.00
(7) sun or shade; (8) loam soil (9) this plant is grown for it	;		
bright red fruits for winter be quets	)-	1.25	10.00
Pinks (See Dianthus).  *PLATYCODON Mariesi—(2) Dwar Baloon Flower; (4) all summer			
(5) 1 ft.; (6) fairly upright wit good dark green foliage; (7) su	h		
or part shade; (8) loam soil wit some sand; (9) rock garden an	h d		
border. A most excellent pland Deep blue or white Seed for blue per packet, 20c.		1.25	10.00
manual par garage, soul			

.

1

*PRUNELLA Grandiflora—(2) self heal; (4) June to Sept.; (5) 8 in.; (6) spreading with upright bloom spikes; (7) moist, shady; (8) ordinary soil; (9) edging, rock and	Ten Rate	
carpeting; (3) rich violet purple or white	1.50	12.00
PYRETHRUM Roseum—(2) Painted Daisy; (3) pink, white and red mixed; (4) May-June; (5) 30 in; (6) upright; (7) sun; (8) loam soil; (9) cutting and border. popular plant		
PYRETHRUM Uliginosum—See Chrysanthemum Uliginosum.		
RUDBECKIA Hirta—(2) Black Eyed Susan; (3) yellow with black cen- ter; (4) July to Sept.; (5) 2 ft.; (6) upright; (7) sun; (8) loam soil; (9) good border and cutting50	1.25	10.00
Seed per packet, 10c.  Rudbeckia Purpurea—(2) Purple Cone Flower; (3) purple with black center; (4) July to Sept.; (5) 4 ft.; (6) upright; (7) sun; (8) loam soil; (9) border and cutting	1.25	10.00
Seed per packet, 10c.  SALVIA Verbascifolia Syria—(3) dark purple; (4) June to Sept.; (5) 18 in.; (6) spikes of bloom from a clump of large leaves re- sembling mullein; (7) sun; (8) loam with sand and not too rich; (9) rock and border. A fine purple Salvia	1.50	12.00
Salvia Azurea Pitcheri—(3) gentian blue; (4) Aug. and Sept.; (5) 40 in.; (6) shrubbey; (7) sun; (8) well drained not too rich; (9) border. The color of the bloom is one of the finest	2.50	18.00
*SANGUINARIA Canadensis—(2) Bloodroot; (3) white; (4) April and May; (5) 4 in.; (6) trailing with large heart shaped grey- green leaves; (7) shade; (8) moist rich soil with leaf mould; (9) naturalizing		
*SAPONARIA Ocymoides—(4) May to Aug.; (5) 8 in.; (6) trailing mound, dark green foliage; (7) sun; (8) sandy loam; (9) rock gardens.		
S. Splendens—(3) crimson. S. Alba—(3) white.		
S. Versicolor—(3) pink and white. All at	1.25	10.00
loam; (9) rock plant	1.25	10.00
covering of bare places, rock gardens	1.25	10.00

	Three	Ten	100 Pote
PLANT LIST  Sedum Spectable—(3) large head of pink; (4) Aug. and Sept.; (5) 1 ft.; (6) upright and compact, with grey green fleshy leaves;		Rate	Rate
(7) sun or shade; (8) seems to like loam soil not too dry; (9) border and rock gardens	.50		
Shasta Daisy (See Chrysanthemum SPIREA Filipendula—(2) Dropwort; (3) white; (4) June and July; (5) 15 in.; (6) bushy; (7) shade; (8) deep, rich, moist; (9) borders or	шахі	шиш),	
naturalizing	.50	1.25	10.00
sun; (8) sandy loam; (9) border and excellent winter bouquet  THERMOPSIS Caroliniana— (3) golden yellow; (4) June and July; (5) 3 ft.; (6) tall upright spikes; (7) sun; (8) ordinary soil; (9)		1.50	12.00
excellent border and cutting *TUNICA Saxifraga—(3) small pink; (4) all summer; (5) 6 in.; (6) tuft of finely cut branches and leaves; (7) sun; (8) ordinary	.50	1.75	15.00
well drained soil; (9) rock garden Verbenia Venosa—(3) Lilac; (4) June to Oct.; (5) 6 in.; (6) trailing; (7) sun; (8) ordinary light soil; (9) bedding. Should be mulched in fall with well decayed	.50	1.25	10.00
manure  VERONICA—There are many varieties of Veronica. We have selected the following as the best. They are all treated alike as to culture; (7) sun; (8) good ordinary soil  *Veronica Incana—(3) purple spikes; (4) June and July; (5) 1 ft.; (6) tufted silver grey leaves with bloom spike; (9) rock gardens.	.50	1.50	10.00
Excellent  Veronica Longifolia Subsessilis—  (3) deep blue; (4) July to Sept.;  (5) 3 ft.; (6) upright bushy; (9) border and cutting. This is undoubtedly the finest border Ver-	.50	1.50	12.00
onica*  *Veronica Repens—(3) pale blue; (4) May and June; (5) 6 in.; (6) creeping sheets of soft green foli-	. 1.00	2.50	18.00
age; (9) excellent rock garden and ground cover  *Veronica Ruprestris—(3) smothered with bright blue flowers; (4) June; (5) 1 in.; (6) absolutely prostrate spreading masses of	.50	1.25	10.00
dark green foliage; (9) edging, rock or ground cover  *Veronica Specata "Darf Blue"—(3) deep blue spikes; (4) June to Aug.; (5) 1 ft.; (6) compact upright bushy plants; (9) rock garden or borders. This an unusual-	.50	1.50	12.00
ly fine veronica and one of the most striking blue plants grown Seed per packet, 15c.		1.25	10.00

ŧ

	hree Rate	Ten Rate	
*Veronica Corymbosa stricta—(3) dense plumes of azure blue; (5) 6 in.; (6) prostrate tufts. A fine new variety  VIOLAS—(9) Violas are one of the finest bedding and rock plants; (7) they like a cool location in sun; (8) deep cultivated rich well drained soil.	.60	1.75	15.00
*Viola Bosnicia—(3) Rose; (4) April			
to Oct.; (5) 4 in.; (6) spreading. A fine new viola *Viola Cornuta—(3) mixed colors; (4) April to Oct.; (5) 8 in.; (6)	.50	1.25	10.00
compact. A fine strain	.50.	1.25	10.00
*Viola Gracilis Lutea — (3) crome yellow; (4) all summer; (5) 4 in.; (6) trailing; (9) can be used as ground cover and in rock gardens. A fine addition to the viola family Viola Pedata—(2) bird foot violet;	.60	1.50	12.00
(3) lavender; (4) May and June, Sept. 1 and Oct.; (5) 4 in.; (6) compact; (8) sand with leaf mould; (9) rock garden. One of the handsomest. Will respond to			
care Violet "Hardy Russian"—(3) violet blue, fragrant; (4) Spring and Fall; (5) 8 in.; (6) compact; (9) shady	.50	1.25	10.00
borders	.60	1.75	12.00

#### ORDERING

We would like to have your order in plenty of time to fill properly as it is not practical to ship at all times. Write orders plainly, telling us exactly by which method you want the order shipped.

#### REMITTANCES

You may send your personal check, P. O. or express money order, or bank draft as best suits you. Include postage if you desire order shipped parcel post.

C. O. D. AND CREDIT

We do not like to send plants collect on delivery and only do so at your responsibility. We will open charge accounts providing you give proper credit references. All accounts are due the last day of the month goods are shipped.

## SHIPPING COSTS

It would be unfair to you if we loaded our prices on each item to prepay shipping charges. Obviously it would be to our advantage to ship small plants if we pay these charges. Therefore we send you the largest and best at the lowest prices possible, and only have you pay the exact charges. On small orders amounting to \$5.00 or less add 10% of the total of the price of the plants you order to prepay parcel post charges. Any unused portion will be returned you. In most cases, orders weighing 10 pounds or less can be shipped for less by parcel post. Unless otherwise directed all orders shipped by express.

#### QUANTITIES

Not less than three of each variety sold. Not less than five plants sold at the ten rate, nor less than twenty-five at hundred rate.

#### RECEIPT OF SHIPMENT

Shipments should be unpacked as soon as received and if in bad condition report to us and transporting company at once.

Sec. 562, P. L. & R.
U. S. POSTAGE

Paid
Oakford, III.
Permit No. 3

U. S. DEPARTMENT OF AGRICULTURE,

M. R. N.

WASHINGTON, D. C.

BUREAU OF PLANT INDUSTRY Horticultural Crops and Diseases

8-3591